



Built for
Government & Corporate
Environments

www.sparklinghues.co.in



Legal Name: Sparkling Hues Gems Private Limited

Constitution: Private Limited Company

Operational Since: 2008

CIN: U27200DL2008PTC173201

PAN: AALCS5962P

GSTIN: 09AALCS5962P1ZB

Corporate Office: F-1, Sector-8, Noida, Gautam Buddha Nagar, Uttar Pradesh – 201301, India



Three Star Export House

Casa Decor is registered trademark of Sparkling Hues Gems Pvt. Ltd.

Our Works.

Uttar Pradesh

F-1, SECTOR-8, NOIDA, Gautambuddha Nagar, Uttar Pradesh, 201301

D-158 AND D-168 AND D-169, EPIP Complex, Site-V, Kasna, Greater Noida, Gautambuddha Nagar, Uttar Pradesh, 201310

34, KASNA ECOTECH-VIII, KASNA ECOTECH-VIII, Greater Noida, Gautambuddha Nagar, Uttar Pradesh, 201308

C-10, EPIP SITE-5, KASNA GAUTAM BUDH NAGAR, Greater Noida, Gautambuddha Nagar, Uttar Pradesh, 201310

Vivekanand Hospital, Behind Mora Ki Milak Kanth Road, Moradabad, Moradabad, Uttar Pradesh, 244001

Rajasthan

G-10, BORANADA, BORANADA INDUSTRIAL PARK, Jodhpur, Jodhpur, Rajasthan, 342012

Core Strengths.

We specialize in manufacturing and institutional supply of furniture solutions across three primary verticals:

A) Office & Corporate Furniture

Workstations, executive desks, conference tables, reception furniture, storage units, seating, and modular office solutions.

B) School & Institutional Furniture

Classroom desks-benches, teacher tables, lab furniture, library furniture, hostel furniture, and institutional storage.

C) Hospital & Healthcare Furniture

Hospital beds (as applicable by tender), bedside units, patient room furniture, waiting chairs, storage and utility furniture for hospital spaces.

Manufacturing, Infrastructure & Capability.

Manufacturing Footprint: Multiple production units and supply partners across India (owned vs partner split to be specified internally)

Machinery & Plant: Well-equipped with modern machinery for consistent output and finish quality

Quality Process: Incoming material checks + in-process inspection + final QC before dispatch

Packaging & Dispatch: Dispatch-ready packaging suited for institutional and bulk movement; structured planning for multi-location delivery

(Any capacity figures / monthly output claims will be disclosed only when supported by internal records and asked in tender/verification.)

Experience & Supply Track Record.

We have supplied furniture solutions for a wide range of government and institutional requirements across India, including:

Offices and administrative set-ups

Educational institutions (classrooms, libraries, hostels)

Hospitals and healthcare facilities

Turnkey supply requirements under institutional tenders

Representative Client Segments (subject to supporting documents where required):

Central/State Government Departments, PSUs, Universities, Institutional Buyers.

Examples of institutions served (indicative): Andhra University, Military Engineer Services (MES), ONGC, IOCL, Indian Bank, and other institutional buyers.

(Work orders/completion certificates can be shared on request as per bid requirement.)

Compliance & Verification Readiness (GeM).

We maintain readiness to provide the following upon official request by GeM/buyer/verification team:

Certificate of Incorporation / MCA master data

PAN, GST certificate + active status

MSME/Udyam (if applicable)

ISO/BIS/Test reports (category-dependent, if applicable)

Bank proof (cancelled cheque/statement)

ITR acknowledgements (last 3 assessment years)

Non-blacklisting declaration

Rule 144(xi) declaration (where applicable in bid conditions)

Authorized signatory proof / board authorization (as required)

Why Buyers Choose Us.

Cost-effective institutional supply with structured execution
On-time delivery focus with organized dispatch planning
Experience with government/institutional requirements
Customization capability as per tender specs
Professional team & product design support
Export experience and global market exposure

Confidential Document Sharing Policy.

(Anti-Data Theft) To prevent misuse and identity/data theft, banking and tax-sensitive documents (cancelled cheque, bank statement, ITR acknowledgements, and certain certificates) are shared only when:
A specific GeM Bid Number / Buyer request is available, and
The request is for official verification / bid eligibility, and
Sharing is done through controlled, documented channels (password-protected PDF / official submission route).

Contact Us

Have a question or need assistance with your order?
Our team is here to help you with product details, customization, and bulk inquiries.
Reach out to us and let's create something beautiful together.

Gem@sparklinghues.com
+91 99907 69666 | +91 88261 43558

Certification

BIFMA



INDEX

Modular	Page No
Workstation	12
Director Tables	16
Conference Tables	24
Office Storage	32
Steel Cabinets	38
Steel Almirahs	44
Steel Lockers	48
Mobile Compactor System	58
Beds	58
Bedside Tables	66
Center Tables	72
Chairs	78
• Director Chairs	80
• Recliner Chairs	84
• Visitor Chairs	86
• Executive Chairs	90
Cafeteria furniture	94
• Chairs	96
• Tables	102
School and hostel furnitures	106
• Desks and Benches	108
• Writing Pad Chairs	110
• Desks & Chairs	112
Sofas	114

www.sparklinghues.co.in

Workstations

Designed for modern workplaces, our office workstations combine functionality, comfort, and clean aesthetics to support focused work and collaboration. Built with durable materials and smart space planning, these systems are ideal for open offices, corporate environments, and growing teams.

From compact single-user desks to modular multi-person layouts, each workstation is engineered to enhance productivity while maintaining a professional visual appeal.



Workstations

Key Features

- Ergonomic desk height for comfortable all-day use
- Modular configurations for flexible layouts
- Durable tabletop finishes with scratch resistance
- Integrated storage options for organized workspaces
- Provision for cable management and power access
- Suitable for individual, linear, and cluster seating

Material Information

- Table Top (Substrate): PLPB / MDF / BWP / HDMR
- Top Thickness: 18/25/36/45/50
- Edge Banding: PVC / ABS / Veneer / Acrylic / Melamine (2.0 mm)
- Frame Construction: Mild Steel / CRCA
- Metal Thickness / Gauge: 16 (Frame) | 1.0 (Sheet)
- Modesty Panel: CRCA Sheet (1.0-1.2 mm)
- Pre-Treatment: 7-Tank Process
- Finish (Powder Coating): Epoxy / Polyester / Epoxy-Polyester Hybrid
- Load Capacity (Static): 120-150 kg
- Levellers / Floor Pads: Yes / No
- Cable Management: Grommet / Raceway /

Applicable IS / BIS Standards:

IS 4414:1990; IS 3663:1991

Standard sizes / dimensions (mm):

Use standard top modules from IS 4414
(e.g., 1200×600 / 1200×700 / 1500×900 / 1800×900 /
1800×1200)

Table height H = 710 ±10



CDSH_WS_001

L x W 1200×600 / 1200×700 / 1500×900 / 1800×900
H = 710 ±10



CDSH_WS_002

L x W 1200×600 / 1200×700 / 1500×900 / 1800×900
H = 710 ±10



CDSH_WS_003

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_WS_004

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_WS_005

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10




CDSH_WS_006

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10

Director Tables

Our Director Office Tables are designed to reflect leadership, authority, and refined taste. Crafted with premium materials and elegant finishes, these tables balance strong visual presence with functional workspace planning.

Featuring spacious worktops, integrated storage, and clean architectural lines, each design supports focused decision-making while enhancing the overall aesthetics of executive offices.



Director Tables

Key Features

- Premium tabletop finishes with superior durability
- Spacious work surface for executive use
- Integrated side units and storage pedestals
- Concealed cable management for a clutter-free desk
- Sturdy construction with high load-bearing capacity
- Available in contemporary and classic design options

Material Information

- Table Top (Substrate): PLPB / MDF / BWP / HDMR
- Top Thickness: 18/25/36/45/50
- Edge Banding: PVC / ABS / Veneer / Acrylic / Melamine (2.0 mm)
- Frame Construction: Mild Steel / CRCA
- Metal Thickness / Gauge: 16 (Frame) | 1.0 (Sheet)
- Modesty Panel: CRCA Sheet (1.0-1.2 mm)
- Pre-Treatment: 7-Tank Process
- Finish (Powder Coating): Epoxy / Polyester / Epoxy-Polyester Hybrid
- Load Capacity (Static): 120-150 kg
- Levellers / Floor Pads: Yes / No
- Cable Management: Grommet / Raceway /
- Hardware: Rust-free / SS / Standard

Applicable IS / BIS Standards:

IS 4414:1990; IS 3663:1991

Standard sizes / dimensions (mm):

Use standard top modules from IS 4414
(e.g., 1500×900 / 1800×900 / 1800×1200 / 2000×1000)
Table height H = 710 ±10



CDSH_DOT_001

L x W 1200×600 / 1200×700 / 1500×900 / 1800×900
H = 710 ±10



CDSH_DOT_002

L x W 1200×600 / 1200×700 / 1500×900 / 1800×900
H = 710 ±10



CDSH_DOT_003

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_004

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_005

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_006

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_008

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_009

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_010

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_011

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_012

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_013

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_014

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_015

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_016

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_017

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_018

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_019

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_20

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_021

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_22

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10



CDSH_DOT_23

L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10

Conference Tables

Our Conference Tables are designed to bring people together for collaboration, discussion, and decision-making. With clean lines, robust construction, and spacious work surfaces, these tables create a professional setting for meetings of all sizes.

Crafted for durability and comfort, each design supports seamless communication while enhancing the overall aesthetics of boardrooms and meeting spaces.



Conference Tables

Key Features

- Generous tabletop space for group meetings
- Ergonomic height for comfortable seating
- Strong, stable construction for long-term use
- Provision for integrated power and cable management
- Modular designs for flexible seating capacity
- Premium finishes to suit modern interiors

Material Information

- Table Top (Substrate): PLPB / MDF / BWP / HDMR
- Top Thickness: 18/25/36/45/50
- Edge Banding: PVC / ABS / Veneer / Acrylic / Melamine (2.0 mm)
- Frame Construction: Mild Steel / CRCA
- Metal Thickness / Gauge: 16 (Frame) | 1.0 (Sheet)
- Modesty Panel: CRCA Sheet (1.0-1.2 mm)
- Pre-Treatment: 7-Tank Process
- Finish (Powder Coating): Epoxy / Polyester / Epoxy-Polyester Hybrid
- Coating Thickness: 60-80 microns
- Load Capacity (Static): 120-150 kg
- Levellers / Floor Pads: Yes / No
- Cable Management: Grommet / Raceway /
- Hardware: Rust-free / SS / Standard

Applicable IS / BIS Standards:

IS 4414:1990; IS 3663:1991

Standard sizes / dimensions (mm):

Use standard top modules from IS 4414
(commonly 1800x900 / 3600x900 / 4500x900)
Table height H = 710 ±10



CDSH_CNT_001
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_002
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10

Conference Tables



CDSH_CNT_003
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_004
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_005
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_006
L x W 1200x600 / 1200x700 / 1500x900 / 1800x900
H = 710 ±10

Conference Tables



CDSH_CNT_007
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_008
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_009
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_010
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10


Conference Tables



CDSH_CNT_011
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_012
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_013
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_014
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_015
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_016
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_017
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_018
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_019
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_020
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_021
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10



CDSH_CNT_022
L x W 1800x900 / 3600x900 / 4500x900
H = 710 ±10

Office Storage

Our Office Storage solutions are designed to keep workspaces organized, efficient, and visually uncluttered. With a focus on smart functionality and contemporary design, these storage units integrate seamlessly into modern office environments.

From compact pedestals to spacious cabinets, each piece is crafted for durability, easy access, and long-term performance, supporting both individual and shared workspaces.



Office Storage

Key Features

- Heavy-duty build (CRCA steel / engineered panels)
- Durable powder-coated finish (anti-rust)
- Scratch & stain resistant surface
- Secure locking for safe storage
- Adjustable shelves for flexible capacity
- High load-bearing shelves (no sag)
- Smooth door/drawer operation
- Ventilation design to reduce moisture
- Space-efficient, ergonomic dimensions
- Easy-clean, low-maintenance finish

Material Information

- Table Top (Substrate): PLPB / MDF / BWP / HDMR
- Top Thickness: 18/25/36/45/50
- Edge Banding: PVC / ABS / Veneer / Acrylic / Melamine (2.0 mm)
- Modesty Panel: CRCA Sheet (1.0-1.2 mm)
- Levellers / Floor Pads: Yes / No
- Cable Management: Grommet / Raceway /
- Hardware: Rust-free / SS / Standard


Applicable IS / BIS Standards:

BIS/IS 3057 : 2004

Standard sizes / dimensions (mm):

Use standard top modules from IS 4414
(commonly 1200 × 900 or 1050 × 900)

Table height H = 450 ±10



CDSH_OFST_001
L x W 1200 × 900 / 1050 × 900
H = 450 ±10



CDSH_OFST_002
L x W 1200 × 900 / 1050 × 900
H = 450 ±10



CDSH_OFST_003
L x W 1200 x 900 / 1050 x 900
H = 450 ±10




CDSH_OFST_004
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_005
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_006
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_007
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_008
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_009
L x W 1200 x 900 / 1050 x 900
H = 450 ±10




CDSH_OFST_010
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_011
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_012
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_013
L x W 1200 x 900 / 1050 x 900
H = 450 ±10



CDSH_OFST_014
L x W 1200 x 900 / 1050 x 900
H = 450 ±10

Steel Cabinets

Built for the pace of modern offices, our Steel Office Cabinet combines strength, simplicity, and smart functionality. Crafted from high-grade CRCA steel, it offers a solid, dependable structure that stands up to everyday use in fast-moving work environments.



Steel Cabinets

Key Features

- CRCA steel build for enduring strength
- Rigid welded body for everyday reliability
- Premium powder coating for long-term protection
- Smooth-action doors with secure locking
- Adjustable shelving for flexible organisation
- Low-maintenance, modern finish for refined offices

Material Information

- Material: CRCA steel (IS 513)
- Body: 0.8 mm
- Doors: 1.0 mm
- Shelves: Adjustable, 0.8 mm
- Hinges: Heavy-duty steel, 1.8 mm
- Finish: Epoxy / polyester powder coating, 60–80 microns

Applicable IS / BIS Standards:

IS 3312 : 1994

Standard sizes / dimensions (mm):

Use standard top modules from IS 4414

(commonly 1320 × 470 / 1020 × 470 / 1000 × 900)

Table height H = 620 / 450 ±10



CDSH_STCB_001

L x W 1320 × 470 / 1020 × 470 / 1000 × 900

H = 620 / 450 ±10



CDSH_STCB_002
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_003
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_004
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_005
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_006
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_007
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_008
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_009
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_010
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_011
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_012
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10



CDSH_STCB_013
L x W 1320 x 470 / 1020 x 470 / 1000 x 900
H = 620 / 450 ±10

Steel Almirahs

Precision-built from high-grade CRCA steel, this almirah delivers lasting strength with a clean, modern finish. Designed for secure, organised storage, it brings durability and quiet sophistication to contemporary workspaces.



Steel Almirahs

Key Features

- CRCA steel construction (IS 513) for structural strength and precision
- 0.8 mm heavy-gauge body built for long-term daily use
- 1.0 mm reinforced doors for improved rigidity and alignment
- Adjustable 0.8 mm steel shelves with reliable load capacity
- Heavy-duty 1.8 mm hinges for smooth, long-life operation
- Secure locking provision for controlled access
- Welded frame construction for enhanced stability
- Epoxy / polyester powder coating for corrosion resistance
- 60–80 micron finish thickness for durability and clean appearance

Material Information

- Office Steel Almirah – Heavy-Duty Material Specifications
- Material: CRCA steel sheet conforming to IS 513
- Body: 1.0 mm CRCA steel for enhanced structural strength
- Door: 1.2 mm CRCA steel for superior rigidity
- Hinges: Heavy-duty steel hinges, 2.0 mm thickness
- Shelves: Reinforced adjustable steel shelves, 1.0 mm thickness
- Finish: Epoxy / polyester powder coating, 70–90 microns

Applicable IS / BIS Standards:

IS 3312 : 1994

Standard sizes / dimensions (mm):

(commonly W x D 900 x 450 / 900 x 450 / 900 x 450)

Table height H = 450 ±10



CDSH_STAL_001

W x D 900 x 450 / 900 x 450 / 900 x 450
H = 1800 / 1350 / 900 ±10



CDSH_STAL_002

W x D 900 x 450 / 900 x 450 / 900 x 450
H = 1800 / 1350 / 900 ±10



CDSH_STAL_003
W x D 900 x 450 / 900 x 450 / 900 x 450
H = 1800 / 1350 / 900 ±10



CDSH_STAL_005
W x D 900 x 450 / 900 x 450 / 900 x 450
H = 1800 / 1350 / 900 ±10



CDSH_STAL_004
W x D 900 x 450 / 900 x 450 / 900 x 450
H = 1800 / 1350 / 900 ±10



CDSH_STAL_006
W x D 900 x 450 / 900 x 450 / 900 x 450
H = 1800 / 1350 / 900 ±10

Steel Lockers

Crafted from high-grade CRCA steel, this locker offers reliable strength, secure storage, and a refined powder-coated finish. Designed for high-use environments, it keeps personal belongings organised while maintaining a clean, professional look across modern workspaces.



Steel Lockers

Key Features

- CRCA steel construction (IS 513) for superior strength
- Rigid welded body for long-term durability
- Reinforced locker doors for secure daily use
- Individual locking provision for personal storage
- Smooth-operating hinges for consistent performance
- Ventilation slots for air circulation
- Scratch & corrosion-resistant finish
- Low-maintenance design for high-traffic areas
- Clean, modern appearance for professional interiors

Material Information

- Material: CRCA steel (IS 513)
- Body: 0.8 mm
- Doors: 0.9–1.0 mm
- Shelves (where applicable): 0.8 mm
- Hinges: Heavy-duty steel, 1.6–1.8 mm
- Finish: Epoxy / polyester powder coating, 60–80 microns

Applicable IS / BIS Standards:

IS 3312 : 1994

Standard sizes / dimensions (mm):

(commonly W x D 300 x 450 / 380 x 450 / 900 x 450)

Table height H = 1800 ±10



CDSH_STL_001
W x D 300 x 450 / 380 x 450 / 900 x 450
H = 1800 ±10



CDSH_STL_002
W x D 300 x 450 / 380 x 450 / 900 x 450
H = 1800 ±10



CDSH_STL_003
W x D 300 x 450 / 380 x 450 / 900 x 450
H = 1800 ±10



CDSH_STL_004
W x D 300 x 450 / 380 x 450 / 900 x 450
H = 1800 ±10



CDSH_STL_005
W x D 300 x 450 / 380 x 450 / 900 x 450
H = 1800 ±10



CDSH_STL_006
W x D 300 x 450 / 380 x 450 / 900 x 450
H = 1800 ±10

Mobile Compactor System

A high-density storage solution designed to maximize space by eliminating fixed aisles and creating access only when required. Engineered for smooth movement, structural strength, and long-term reliability, ideal for offices, archives, libraries, and institutional use.



Mobile Compactor System

Key Features

- High-Density Storage – Maximum capacity, minimum floor space
- Heavy-Duty Steel Build – Rigid MS structure, long life
- Smooth Rail Movement – Stable, jerk-free bay shifting
- Manual / Mechanical / Motorized – Flexible operation options
- High Load Shelves – No sagging under heavy files
- Anti-Tilt Safety System – Controlled, balanced movement
- Powder-Coated Finish – Rust & scratch resistant
- Modular & Expandable – Easy future bay extension

Material Information

- Steel: CRCA as per IS 513:2016 (or latest)
- Structure: Body 1.0 mm; uprights/bay frames 1.6 mm
- Shelves: 1.0 mm CRCA, reinforced for high UDL
- Base & Drive: Reinforced MS/CRCA trolley with heavy rails, high-load wheels & hardened drive parts
- Finish: 7-tank treatment + HD epoxy/polyester coating 80–100 microns

Applicable IS / BIS Standards:

IS 3312 : 1994

Standard sizes / dimensions (mm):

(commonly W x D 900 x 450 / 900 x 600 / 1000 x 450
1000 x 600 / 900 x 450)

Table height H = 2100 / 1800 ±10



CDSH_MCS_001
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_002
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_003
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10




CDSH_MCS_004
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_005
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_006
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_007
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_008
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_009
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_010
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_011
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_012
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_013
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10



CDSH_MCS_014
W x D 900 x 450 / 900 x 600 / 1000 x 450
H = 2100 / 1800 ±10

Beds

Designed for comfort, functionality, and durability, our bedroom furniture offers a perfect balance of aesthetics and everyday performance. Engineered for residential, hospitality, and institutional use, it ensures long service life with a clean, modern finish.



Beds

Key Features

- Strong and stable construction for daily use
- Clean, minimal design suitable for modern bedrooms
- Smooth, durable surface finish
- Easy maintenance and long-lasting performance
- Designed for residential & hospitality applications

Material Information

- Board Material: HDMR / BWP-grade engineered wood
- Board Thickness: 25 mm load-bearing members
- Frame Structure: Extra-reinforced side rails & cross members
- Base Support: Full solid platform / heavy slatted base
- Edge Banding: 2 mm PVC, impact- & moisture-resistant
- Hardware: Heavy-duty MS fittings, zinc-plated
- Joint System: Industrial knock-down connectors (anti-loosening)
- Surface Finish: High-abrasion laminated / PU finish
- Load Capacity: Designed for high UDL & continuous use

Applicable IS / BIS Standards:

IS 17631:2022 & IS 17088:2019

Standard sizes / dimensions (mm):

(commonly L x W 1900 x 900 / 1980 x 1500
1980 x 1525 / 1980 x 1830)

Height H = 450 ±10



CDSH_BD_001

L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_002

L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_003
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_004
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_005
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_006
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_007
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_008
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_009
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_010
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_011
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_012
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_013
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_014
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_015
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_016
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_017
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_018
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_019
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_020
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_021
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10



CDSH_BD_022
L x W 1900 x 900 / 1980 x 1500 / 1980 x 1525 / 1980 x 1830
H = 450 ±10

Bedside Tables

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged.



Bedside Tables

Key Features

- Space-smart bedside storage for daily essentials
- Sturdy, wobble-free build for long-lasting use
- Smooth-glide drawer/shutter for quick, effortless access
- Scratch-, stain- & moisture-resistant surface for easy maintenance
- Premium finish with clean edges for a refined bedroom look
- Durable hardware and strong top support for lamp & décor

Material Information

- Board Material: PLPB / MDF / HDMR (BIS compliant)
- Carcass Thickness: 18 mm structural panels
- Top Panel: 18–25 mm heavy-duty top
- Drawer Box: 12–18 mm panels
- Back Panel: 6–9 mm MDF / HDF
- Edge Banding: 2 mm PVC / ABS, heat-bonded
- Drawer Channel: Heavy-duty smooth-slide system
- Hardware: Zinc-plated MS fasteners & connectors
- Surface Finish: Pre-laminated / PU / melamine

Applicable IS / BIS Standards:

BIS/IS 6188 : 1988

Standard sizes / dimensions (mm):

(commonly W x D 400 x 400 / 450 x 400)

Height H = 450 / 500 ±10



CDSH_BDT_001
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_002
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_003
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_004
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_005
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_006
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_007
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_008
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_009
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_010
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_011
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_012
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_013
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10



CDSH_BDT_014
W x D 400 x 400 / 450 x 400
H = 450 / 500 ±10

Center Tables

A compact living-room table designed for daily use—perfect for serving, décor styling, and keeping essentials within reach. Clean proportions, stable base, and a premium top finish for a refined look.



Center Tables

Key Features

- Sturdy, wobble-free structure for daily use
- Scratch- & stain-resistant top for easy cleaning
- Rounded/finished edges for safer living-room use
- Strong top load support for trays, décor & serving
- Balanced proportions—fits most sofa layouts
- Premium finish with durable hardware & joints

Material Information

- Top: 25 mm HDMR / MDF / PLPB (as per variant) with laminate / veneer finish
- Shelf (if any): 18 mm board with matching finish
- Edge banding: 2 mm PVC edge (clean & impact-safe)
- Frame/Legs (if metal): powder-coated MS (rust-resistant)
- Hardware: heavy-duty connectors/fasteners; anti-slip bottom pads

Applicable IS / BIS Standards:

BIS/IS 17633:2022

Standard sizes / dimensions (mm):

(commonly W x D 900 x 600 / 1000 x 600 / 750 x 750)

Height H = 420 / 450 ±10



CDSH_CT_001
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_002
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_003
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_004
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_005
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_006
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_007
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_008
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_009
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_010
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_011
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_012
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_013
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10



CDSH_CT_014
W x D 900 x 600 / 1000 x 600 / 750 x 750
H = 420 / 500 ±10

Chairs

This ergonomic chair is designed for long sitting hours, keeping your posture aligned and comfortable all day. The spine-supporting backrest with adjustable lumbar support reduces lower-back strain, while the synchro-tilt recline allows smooth posture changes. Adjustable seat height, depth, and 3D/4D armrests ensure proper support for different body types. With breathable design, high-resilience cushioning, heavy-duty base, and smooth castors, it delivers lasting comfort and stability—ideal for offices and home workstations.



Director Chairs

Key Features

- Ergonomic high-back support for long sittings
- Height adjustability and controlled recline/tilt
- 360° swivel with stable, heavy-duty base
- Smooth-rolling castors for easy movement on office floors
- Durable joints, mechanism, and arm supports for years of use
- Clean, executive styling suitable for offices and meeting rooms

Material Information

- Seat & Back Shell: Injection-moulded PP / high-strength plywood (as per model)
- Cushioning: High-density moulded PU foam (seat & back)
- Upholstery: Premium fabric / leatherette / mesh (option) with double stitching
- Mechanism: MS tilt mechanism with lock; hardened steel components
- Gas Lift: Class-3/4 gas spring (height adjustable)
- Armrests (if any): PP/nylon arms with PU soft-pad (option)
- Castors: 50 mm twin-wheel nylon / PU castors (floor-friendly option)
- Hardware: High-tensile, zinc-plated fasteners; rust-resistant fittings

Applicable IS / BIS Standards:

BIS/IS : 3663:1991

Standard sizes / dimensions (mm):

Seat Height (Adjustable): 390–480 mm

Seat Depth: 390–430 mm

Seat Width: \geq 450 mm

Backrest Angle (Seat-to-Back): 95°–105°



CDSH_DCH_001



CDSH_DCH_002



CDSH_DCH_003



CDSH_DCH_004



CDSH_DCH_005



CDSH_DCH_006



CDSH_DCH_007



CDSH_DCH_008



CDSH_DCH_009



CDSH_DCH_010



CDSH_DCH_011



CDSH_DCH_012



CDSH_DCH_013



CDSH_DCH_014



CDSH_DCH_015



CDSH_DCH_016



CDSH_DCH_017



CDSH_DCH_018



CDSH_DCH_019



CDSH_DCH_020



CDSH_DCH_021



CDSH_DCH_022



CDSH_DCH_023



CDSH_DCH_024

Recliner Chairs

Key Features

- Smooth reclining action with leg-rest support
- Multi-position comfort for sitting, lounging, and resting
- High-resilience cushioning for sink-in comfort + shape retention
- Strong internal frame + reinforced seat for daily use
- Supportive armrests and wide seating comfort
- Premium upholstery finish; easy to maintain (as per variant)

Material Information

- Frame: Seasoned hardwood / engineered wood / metal reinforcement (model-wise)
- Seat support: Webbing / sinuous spring support (variant-wise)
- Cushioning: High-density PU foam with soft fiber wrap
- Mechanism: Heavy-duty steel reclining mechanism (manual lever or power motor option)
- Upholstery: Fabric / leatherette / leather (as specified)

Applicable IS / BIS Standards:

BIS/IS 17631 : 2022

Standard sizes / dimensions (mm):

Compact: W 710–810 mm | D 760–890 mm

Standard: W 810–965 mm | D 890–1016 mm

Large: W \geq 965 mm | D \geq 1016 mm



CDSH_RCH_001



CDSH_RCH_002



CDSH_RCH_003

Recliner Chairs



CDSH_RCH_004



CDSH_RCH_005



CDSH_RCH_006



CDSH_RCH_007



CDSH_RCH_008



CDSH_RCH_009



CDSH_RCH_010



CDSH_RCH_011



CDSH_RCH_012

Visitor Chairs

Key Features

- Wobble-free frame
- Comfortable back support
- Durable powder-coated finish
- Floor-friendly leg tips
- Easy-clean seat/back
- Long-life joints & hardware

Material Information

- CRCA/MS tubular frame
- Moulded PU foam seat/back
- Upholstery: fabric/leatherette/mesh (as specified)
- PP/ply seat shell (model-wise)
- Nylon/PP armrests (optional)
- Anti-skid rubber/PVC leg bushes

Applicable IS / BIS Standards:

BIS/IS 17633:2022

Standard sizes / dimensions (mm):

Seat Height (Fixed): 435 ± 5

Effective Seat Depth: 390–430

Seat Width: ≥ 450

Backrest Angle (Seat-to-Back): 95° – 105°

Armrests (if provided): Arm height 200 ± 5 , inside distance ≥ 440



CDSH_VCH_001



CDSH_VCH_002



CDSH_VCH_003



CDSH_VCH_004



CDSH_VCH_005



CDSH_VCH_006



CDSH_VCH_007



CDSH_VCH_008



CDSH_VCH_009



CDSH_VCH_010



CDSH_VCH_011



CDSH_VCH_012



CDSH_VCH_013



CDSH_VCH_014



CDSH_VCH_015



CDSH_VCH_016



CDSH_VCH_017



CDSH_VCH_018



CDSH_VCH_019



CDSH_VCH_020



CDSH_VCH_021



CDSH_VCH_022



CDSH_VCH_023



CDSH_VCH_024



CDSH_VCH_025



CDSH_VCH_026



CDSH_VCH_027



CDSH_VCH_028



CDSH_VCH_029



CDSH_VCH_030

Executive Chairs

Key Features

- Height adjustable
- Tilt/recline with lock
- High-back + lumbar support
- 360° swivel
- Stable 5-star base
- Smooth castors
- Durable mechanism & joints

Material Information

- Moulded PU foam cushioning
- Premium fabric/leatherette/mesh upholstery
- Heavy-duty tilt mechanism (MS)
- Gas-lift cylinder
- 5-star nylon/chrome MS base
- PU/nylon castors and PP/PU armrests (optional)

Applicable IS / BIS Standards:

IS 3663:1991

Standard sizes / dimensions (mm):

Seat Height (Adjustable): 390–480

Effective Seat Depth: 390–450 (adjustable back)

Seat Width: ≥ 450

Backrest Angle (Seat-to-Back): 95° – 105°

Armrest Height (if provided): 200 ± 5 | Inside arm distance: ≥ 440



CDSH_ECH_001



CDSH_ECH_002



CDSH_ECH_003



CDSH_ECH_004



CDSH_ECH_005



CDSH_ECH_006



CDSH_ECH_007



CDSH_ECH_008



CDSH_ECH_009



CDSH_ECH_010



CDSH_ECH_011



CDSH_ECH_012



CDSH_ECH_013



CDSH_ECH_014



CDSH_ECH_015



CDSH_ECH_016



CDSH_ECH_017



CDSH_ECH_018



CDSH_ECH_019



CDSH_ECH_020



CDSH_ECH_021



CDSH_ECH_022



CDSH_ECH_023



CDSH_ECH_024



CDSH_ECH_025



CDSH_ECH_026



CDSH_ECH_027



CDSH_ECH_028



CDSH_ECH_029



CDSH_ECH_030

Cafeteria Furniture

Our cafeteria chairs and tables are thoughtfully designed to create comfortable, functional, and visually cohesive dining spaces. Built for everyday use in high-traffic environments, this furniture range combines ergonomic comfort with strong, durable construction. The clean, modern design blends easily with various interior styles while ensuring long-term performance and easy maintenance.

Ideal for cafeterias, food courts, offices, educational institutions, and corporate dining areas, the set offers practical seating and stable table surfaces that support efficient space planning and a pleasant dining experience.



Menu:
Sauce au choix 21,50
au choix 14,50
choix 16,50
Boeuf garni 13,50
rd 12,50
Sensas 10,50
Champignons 9,50
Sauce 12,50
(le) 12,50
Sensas 12,50
Sensas garni 14,50
Le ou à Emporter

Chairs

Key Features

- Ergonomic seating designed for dining and common areas
- Sturdy, stable construction for high footfall usage
- Comfortable seat and back support for short-to-medium seating duration
- Smooth, rounded edges for user safety
- Lightweight yet durable for easy movement
- Easy to clean and maintain
- Suitable for cafeterias, canteens, food courts, and lounges

Material Information

- Frame: Heavy-duty MS tubular / solid wood structure
- Seat & Back: Moulded plastic / laminated plywood / upholstered shell
- Finish: Epoxy powder-coated metal / polished wood finish
- Hardware: Rust-resistant fasteners
- Base: Anti-skid, non-marking floor caps

Applicable IS / BIS Standards:

IS 17646:2022

Standard sizes / dimensions (mm):

Overall Height: 800–900 mm

Seat Height: 430–460 mm

Seat Width: \geq 420 mm

Seat Depth: 400–450 mm

Backrest Height (from seat): 350–450 mm



CDSH_CFCH_001



CDSH_CFCH_002



CDSH_CFCH_003



CDSH_CFCH_004



CDSH_CFCH_005



CDSH_CFCH_006



CDSH_CFCH_007



CDSH_CFCH_008



CDSH_CFCH_009



CDSH_CFCH_010



CDSH_CFCH_011



CDSH_CFCH_012



CDSH_CFCH_013



CDSH_CFCH_014



CDSH_CFCH_015

Chairs



CDSH_CFCH_016



CDSH_CFCH_017



CDSH_CFCH_018



CDSH_CFCH_019



CDSH_CFCH_020



CDSH_CFCH_021



CDSH_CFCH_022



CDSH_CFCH_023



CDSH_CFCH_024



CDSH_CFCH_025



CDSH_CFCH_026



CDSH_CFCH_027



CDSH_CFCH_028



CDSH_CFCH_029



CDSH_CFCH_030



CDSH_CFCH_031



CDSH_CFCH_032



CDSH_CFCH_033



CDSH_CFCH_034



CDSH_CFCH_035



CDSH_CFCH_036



CDSH_CFCH_037



CDSH_CFCH_038



CDSH_CFCH_039



CDSH_CFCH_040



CDSH_CFCH_041



CDSH_CFCH_042

Tables

Key Features

- Height adjustable
- Tilt/recline with lock
- High-back + lumbar support
- 360° swivel
- Stable 5-star base
- Smooth castors
- Durable mechanism & joints

Material Information

- Moulded PU foam cushioning
- Premium fabric/leatherette/mesh upholstery
- Heavy-duty tilt mechanism (MS)
- Gas-lift cylinder
- 5-star nylon/chrome MS base
- PU/nylon castors and PP/PU armrests (optional)

Applicable IS / BIS Standards:

IS 17646:2022

Standard sizes / dimensions (mm):

Length: 1200 – 1800 mm

Width: 600 – 900 mm

Height: 740 – 760 mm

Top Thickness: 18 – 25 mm



CDSH_CFTB_001



CDSH_CFTB_002



CDSH_CFTB_003



CDSH_CFTB_004



CDSH_CFTB_005



CDSH_CFTB_006



CDSH_CFTB_007



CDSH_CFTB_008



CDSH_CFTB_009



CDSH_CFTB_010



CDSH_CFTB_011



CDSH_CFTB_012



CDSH_CFTB_013



CDSH_CFTB_014



CDSH_CFTB_015



CDSH_CFTB_016



CDSH_CFTB_017



CDSH_CFTB_018



CDSH_CFTB_019



CDSH_CFTB_020



CDSH_CFTB_021



CDSH_CFTB_022



CDSH_CFTB_023



CDSH_CFTB_024



CDSH_CFTB_025



CDSH_CFTB_026



CDSH_CFTB_027



CDSH_CFTB_028



CDSH_CFTB_029



CDSH_CFTB_030

School and Hostel Furniture

Built for intensive daily use, our school and hostel furniture is designed for strength, safety, and long-term durability. Sturdy construction and ergonomic proportions support comfort, posture, and efficient space use in classrooms and residential facilities. Easy to maintain and resistant to wear, the furniture is ideal for large-scale institutional environments. Manufactured in compliance with applicable BIS / IS standards.



Desks & Benches

Key Features

- Ergonomic and student-safe design
- Heavy-duty construction for daily institutional use
- Smooth, rounded edges for safety
- Scratch-resistant and easy to maintain
- Space-efficient classroom layout
- BIS / IS compliant

Material Information

- MS tubular / hardwood frame
- Pre-laminated board / plywood top & seat
- Powder-coated finish with rust-resistant hardware
- Anti-skid floor caps
- Compliance: Materials as per applicable BIS / IS standards

Applicable IS / BIS Standards:

IS 4837 & IS 5967

Standard sizes / dimensions (mm):

Desk: 600–900 (L) × 450–600 (W) × 700–750 (H) mm

Bench: 900–1200 (L) × 250–300 (W) × 420–450 (Seat H) mm



CDSH_DAB_001



CDSH_DAB_002



CDSH_DAB_003



CDSH_DAB_004



CDSH_DAB_005



CDSH_DAB_006



CDSH_DAB_007



CDSH_DAB_008



CDSH_DAB_009



CDSH_DAB_010



CDSH_DAB_011



CDSH_DAB_012

Writing Pad Chairs

Key Features

- Heavy-duty construction for high-stress exam environments
- Rigid, wobble-free frame ensuring writing stability
- Fixed writing pad suitable for long exam durations
- Ergonomic seat and back support for posture comfort
- Smooth, rounded edges for safety and durability
- Non-marking, anti-skid base for floor protection
- Designed for intensive institutional use
- BIS / IS compliant

Material Information

- Frame: Extra-thick MS tubular structure
- Seat & Back: Heavy-duty moulded plastic / laminated plywood
- Writing Pad: Compact laminate / pre-laminated board
- Finish:* Epoxy powder-coated metal
- Fasteners: Rust-resistant hardware
- Base: Heavy-duty anti-skid end caps

Applicable IS / BIS Standards:

IS 10375 : 1981

Standard sizes / dimensions (mm):

Overall Height:* 850–950 mm

Seat Height:* 420–450 mm

Seat Width:* ≥ 420 mm

Seat Depth:* 400–450 mm

Writing Pad:* 320–360 × 220–260 mm



CDSH_WPC_001



CDSH_WPC_002



CDSH_WPC_003



CDSH_WPC_004



CDSH_WPC_005



CDSH_WPC_006



CDSH_WPC_007



CDSH_WPC_008



CDSH_WPC_009



CDSH_WPC_010



CDSH_WPC_011



CDSH_WPC_012

Desks and Chairs

Key Features

- Separate desk and chair for flexible classroom and exam layouts
- Heavy-duty construction suitable for intensive institutional use
- Ergonomic seating supports posture during long study hours
- Stable, wobble-free structure for writing accuracy
- Smooth, rounded edges for enhanced safety
- Scratch-resistant surfaces and easy maintenance
- Suitable for schools, colleges, and examination halls

Material Information

- Desk Frame: Heavy-duty MS tubular structure
- Desk Top: Pre-laminated board / compact laminate
- Chair Frame: Extra-thick MS tubular structure
- Seat & Back: Moulded plastic / laminated plywood
- Finish: Epoxy powder-coated metal
- Hardware: Rust-resistant fasteners
- Base: Anti-skid, non-marking floor caps

Applicable IS / BIS Standards:

IS 17633:2022

Standard sizes / dimensions (mm):

Desk- L: 600–900 mm, W: 450–600 mm H: 700–750 mm

Chair Overall Height: 850–950 mm

Seat Height: 420–450 mm

Seat Width: \geq 420 mm

Seat Depth: 400–450 mm



CDSH_DAC_001



CDSH_DAC_002



CDSH_DAC_003



CDSH_DAC_004



CDSH_DAC_005



CDSH_DAC_006



CDSH_DAC_007



CDSH_DAC_008



CDSH_DAC_009



CDSH_DAC_010



CDSH_DAC_011



CDSH_DAC_012

Sofa

A refined sofa set designed for modern, elegant spaces. Ergonomic seating and high-resilience cushioning offer lasting comfort. A strong internal frame ensures durability, complemented by premium upholstery with a rich finish. Balanced proportions and relaxed support enhance everyday lounging.



Sofa

Key Features

- Ergonomic luxury seating
- Premium high-resilience cushioning
- Strong, durable internal frame
- Plush backrest comfort
- Broad, elegant armrests
- Rich-texture premium upholstery
- Stable, refined base design

Material Information

- Frame: Seasoned hardwood / engineered wood structure
- Support: Heavy-duty webbing / spring system
- Cushioning: High-resilience PU foam
- Upholstery: Premium fabric / leatherette
- Base: Solid wood / metal legs with anti-skid buffers
- Finish: Precision stitching, long-lasting finish
- Compliance: BIS / IS compliant materials

Applicable IS / BIS Standards:

IS 12674 & IS 10374

Standard sizes / dimensions (mm):

Overall Dimensions (W × D × H)

1-Seater: 750–900 × 750–850 × 800–900 mm

2-Seater: 1300–1500 × 750–850 × 800–900 mm

3-Seater: 1800–2100 × 750–900 × 800–900 mm



CDSH_SF_001



CDSH_SF_002



CDSH_SF_003



CDSH_SF_004



CDSH_SF_005



CDSH_SF_006



CDSH_SF_007



CDSH_SF_008



CDSH_SF_009



CDSH_SF_010



CDSH_SF_011



CDSH_SF_012



CDSH_SF_013



CDSH_SF_014



CDSH_SF_015



CDSH_SF_016



CDSH_SF_017



CDSH_SF_018



CDSH_SF_019



CDSH_SF_020



CDSH_SF_021



CDSH_SF_022



CDSH_SF_023



CDSH_SF_024



CDSH_SF_025



CDSH_SF_026



CDSH_SF_027



CDSH_SF_028



CDSH_SF_029



CDSH_SF_030



CDSH_SF_031



CDSH_SF_032



CDSH_SF_033



CDSH_SF_034



CDSH_SF_035



CDSH_SF_036



CDSH_SF_037



CDSH_SF_038



CDSH_SF_039



CDSH_SF_040

Globes

Certain items endure in the ever-changing realm of home decor. One such timeless item is the decorative globe, which is classy, instructive, and incredibly adaptable. Our excellent selection of handcrafted globes at Casa Decor combines latest design sensibilities with vintage charm, making them perfect for both traditional and modern settings.



Globes



STYLE NO: SP0263
SIZE: 8 X 9 X 15 INCH



STYLE NO: SP0264
SIZE: 8 X 9 X 14 INCH



STYLE NO: SP0265
SIZE: 8 X 9 X 15 INCH



STYLE NO: SP0266
SIZE: 8 X 9 X 12 INCH



STYLE NO: SP0267
SIZE: 8 X 9 X 14 INCH



STYLE NO: SP02614
SIZE: 8 X 9 X 15 INCH



STYLE NO: SP0268
SIZE: 6 X 8 X 14.5 INCH



STYLE NO: SP0269
SIZE: 5 X 6 X 10 INCH



STYLE NO: SP02610
SIZE: 5 X 5 X 11 INCH

Globes



STYLE NO: SPG23
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG24
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG25
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG26
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG27
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG28
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG29
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG30
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: SPG31
SIZE: 8 X 8.5 X 15 INCH

Globes



STYLE NO: 83
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: CD89
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: CD93
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: CD101
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: CD102
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: CD103
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: CD104
SIZE: 8 X 8.5 X 15 INCH




STYLE NO: CD107
SIZE: 8 X 8.5 X 15 INCH



STYLE NO: CD108
SIZE: 8 X 8.5 X 15 INCH

Our Valued Customers



Andhra University



Indian bank




Maharajganj Bsa Uttar Pradesh



Islamic University of Kashmir




MES Nagrota 20 Engineer Regiment



Pithoragarh Uttarakhand



Regional Institute of Medical Sciences



Mizoram University



MFL Chennai



SPARKLING HUES GEMS PVT. LTD.

www.sparklinghues.co.in

Gem@sparklinghues.com

+91 99907 69666 | +91 88261 43558

F-1, SECTOR-8, NOIDA, Gautambuddha Nagar, Uttar Pradesh, 201301, India.